

REPUBLIC OF KENYA

MINISTRY OF ENVIRONMENT, CLIMATE CHANGE AND FORESTRY

KENYA METEOROLOGICAL DEPARTMENT

Dagoretti Corner, Ngong Road, P. O. Box 30259, 00100 GPO, Nairobi, Kenya **Telephone:** 254 (0) 20 3867880-7, **Fax:** 254 (0) 20 3876955/3877373/3867888,

E-mail: director@meteo.go.ke, info@meteo.go.ke; Website: http://www.meteo.go.ke

Biometeorological Services Division

WEEKLY BIOMETEOROLOGICAL BULLETIN (17TH OCTOBER –23RD OCTOBER, 2023)

Ref No: KMD/MM/10-2023

Issue Date; 16/10/2023

1.0 PREAMBLE

Biometeorology is an interdisciplinary science of interactions between atmospheric processes and living organisms - plants, animals and human-beings. The Biometeorological Services Division collects, analyzes and interprets Meteorological and Health data in liaison with partners in the Health Sector for advisory development.

The weather information provided is aimed at guiding residents to identify and recognize the likelihood of occurrence of weather related health diseases according to the issued advisories and take necessary action.

REVIEW FOR LAST WEEK (9TH OCTOBER – 15TH OCTOBER, 2023)

1.1 High Rainfall

This section lists stations recorded more than 50mm total rainfall in the last 7 days. This is shown in Table 1 below.

Table 1:

| Station | Total weekly Rainfall |
|--------------|-----------------------|
| Kericho Met | 97.1mm |
| Kakamega Met | 78.4mm |
| Eldoret Met | 58.9mm |
| Kisumu Met | 54.1mm |

1.2 High Temperatures

This section lists stations that recorded average temperatures exceeding 35°C in the last 7 days. This is shown in Table 2 below.

Table 2:

| Station | Average weekly maximum temperature |
|-------------|------------------------------------|
| Lodwar Met | 37.7°C |
| Mandera Met | 36.9°C |

1.3 Low Temperatures

This section lists stations that recorded average temperatures below 10°C in the last 7 days. This is shown in Table 3 below.

Table 3:


| Station | Average weekly minimum temperature |
|---------------|------------------------------------|
| Nyahururu Met | 7.0°C |

1.4 High Winds

This section list stations that recorded winds with speeds of more than 25 knots (12.9 metres per sec) in the last 7 days. This was recorded in Marsabit, Makindu and Garissa met station.


2.0 FORECAST FOR 17TH OCTOBER- 23RD OCTOBER, 2023

a) Rainfall




Rainfall exceeding 50mm is expected over parts of Lodwar, Bungoma, West pokot, Kericho, Lamu, Mombasa, Uasin Gishu(Eldoret) and Malindi counties (Tuesday 17th October, 2023 to Monday 23rd October, 2023).

b) High Temperature



Maximum Temperatures of exceeding 35°C is expected over parts Samburu, Garissa and Wajir Counties during the forecast period (Tuesday 17th October 2023 to Monday 23rd October, 2023).

c) Low Temperature



Minimum temperature of less than 10°C is expected over parts of Nyandarua (Nyahururu) and Nakuru Counties during the forecast period (Tuesday 17th October, 2023 to Monday 23rd October, 2023).

d) Winds

Winds of more than 25 knots (12.9m/s) are expected over parts of Turkana (Lodwar) and Marsabit Counties, during the forecast period (Tuesday 17th October, 2023 to Monday 23rd October, 2023). Less risk of dust related diseases since we are in the rainy season in most parts of the Country.

3.0 Advisories

- i) Areas expected to receive more than 50 mm of weekly total rainfall have a high likelihood of occurrence of waterborne diseases (e.g. diarrhea) and Vector borne diseases (e.g. Malaria), especially in areas with poor drainage. Residents are advised to be on the lookout for such diseases and take necessary action.
- ii) Residents living in areas expected to experience temperatures of more than 35°C have a high risk of being infected with skin diseases e.g. skin rash.
- iii) Areas expected to experience less than 10°C have a high likelihood of occurrence of cold weather diseases. e.g. Asthma, pneumonia, common cold and flu. Residents are advised to be on the lookout for such diseases and take necessary action.
- iv) Winds of more than 25 knots (12.9m/s). These winds are strong enough and able to blow dust especially over bare grounds. The blown dust may increase the risk of respiratory infections e.g. Cold and flu diseases. These diseases are quite common during the dry weather conditions. Residents are advised to be on the lookout for such diseases and take necessary protective measures.
- N. B: This forecast is to be used together with the daily (24-hour) forecast issued by this Department.

Dr Gikungu

DIRECTOR OF KENYA METEOROLOGICAL DEPARTMENT